Validation report

qPCR HLVd sets

Article No.: 899601 (qPCR HLVd set 96)

General information:

Target Pathogen	HLVd (hop latent viroid)
Genus	Cocadviroid
Method	Real-Time RT-qPCR, TaqMan

Technical information:

Fluorophores	FAM: HLVd ROX: COX
Cycling program	 50°C for 20 min (Reverse Transcription) 95°C for 5 min (RT inactivation) 40 Cycles: 95°C for 15 sec (Denaturation) 60°C for 30 sec (Annealing / Extension)
Controls	Internal positive control (IPC): cytochrome oxidase (COX) Negative control (NC): plant RNA from leaf Positive control (PC): HLVd-infected plant extracts

Host matrix:


Tested plant material	Leaf, roots, stem
rested plant material	mechanical transmittable
Tostad spacing infactod	Humulus lupulus (Hop)
Tested species infected	Cannabis sativa (Hemp)
	Right sampling is essential since HLVd is not evenly distributed
Sampling	on the leaves. It is recommended to use multiple leaves per
	plant and mixed extract from all selected leaves.

Specificity:

Analytical Specificity	100%
Number of tested samples from target organism (True Positives)	>100
Diagnostic Specificity	100%
Number of tested samples non- target organism (True Negatives)	>100
Detected isolates / geographic regions (Inclusivity)	HLVd HT #8,10,12,101,104,105 (Switzerland, Hemp) HLVd SO2 #33 (Switzerland, Hemp) HLVd HQ x CT #13,14,15 (Switzerland, Hemp) HLVd CR #21,22 (Switzerland, Hemp) HLVd V+ #28 (Switzerland, Hemp) HLVd leaves (Slowenia, Hop)
Cross reaction with (Exclusivity)	None known
No cross reaction tested with (Exclusivity)	AMV (Alfalfa mosaic virus) ArMV (Arabis mosaic virus) BYDV (Barley yellow dwarf virus) CMV (Cucumber mosaic virus) ErLV (Erysimum latent virus) GLRaV-4 (Grapevine leafroll-associated virus 4) GLRaV-6 (Grapevine leafroll-associated virus 6)

phone

fax



Your Partner in Agro-Diagnostics

+41 61 712 11 25 +41 61 712 11 17

admin@bioreba.ch

www.bioreba.com



Switzerland

	PLRV (Potato leafroll virus) RBDV (Raspberry bushy dwarf virus) SLRSV (Strawberry latent ringspot virus) TMV (Tobacco mosaic virus) TRSV (Tobacco ringspot virus)
No matrix effect observed with (Selectivity)	

Sensitivity:

Analytical Sensitivity / LoD	10 ⁻¹ to 10 ⁻⁴
Sensitivity on host matrix	Hop leaves: 10^{-3} to 10^{-4} Hemp leaves: 10^{-3} to 10^{-4} Hemp roots: 10^{-1} to 10^{-2} Hemp stem: 10^{-3} to 10^{-4}
Other sensitivity characteristics	Infected leaves from hop and hemp plants were mixed with leaves of healthy plants: Infected plant: Ct 23.95 Mixed sample 3 plants: Ct 24.02 Mixed sample 5 plants: Ct 24.33 Mixed sample 10 plants: Ct 25.95 Mixed sample 25 plants: Ct 27.03

Validation:

Internal validation	01.11.2022 – 30.03.2023
External validation	-
Reproducibility	100% (BIOREBA)
Repeatability	100% (BIOREBA)
Validation information	One validation was done at BIOREBA, by retesting of already PCR-tested (unknown external laboratory) HLVd-infected and healthy samples.

Validation release Date: Ocober, 29th, 2025 QC manager:

Version: 3 – 29.10.2025 – Incorporation of lyophilized enzymes and change of article number.





Your Partner in Agro-Diagnostics